



The perfect addition to any commercial kitchen, the Touch CO133T with intuitive touch screen menu provides the wider functionality and greater control that only a touch screen can deliver.

CONVECTOR

PRODUCT OPTIONS AND ACCESSORIES

- CO100/FS Lincat Convector Floor Stand for CO133M/CO133T Convection Ovens - with 4 Runners - W 610 mm
- CO100/LFSK Lincat Convector Low Floor Stand and Stacking Kit for CO133M/CO133T Convection Ovens - with 1 Runner - W 610 mm
- ACIK04 Water Treatment Filter Kit

PRODUCT FEATURES

- 3 x GN2/3 capacity
- Touchscreen control with easy-to-use icon-driven menu selections
- Easy-view traffic light status - see the status of the oven at a glance, even in the noisiest kitchens
- Space for 24 programs with up to four stages, which can be adjusted individually
- Up to four-stage phased cooking for perfect results - set temperature, time, fan speed and humidity injection for each stage
- Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- Five levels of humidity injection
- Nine-hour on-screen timer, with electronic buzzer, and flashing oven lamps to indicate that cycle has finished

WEIGHTS & DIMENSIONS

Width	610 mil
Depth	750 mil
Height	645 mil
Weight	62.1 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	95 cm
Ship Height	81.5 cm
Ship Weight	68.31 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Water Main
Water Inlet Size	0.75 in
Water Inlet Pressure Minimum	2 Bar
Water Inlet Pressure Maximum	6 Bar
Drain Line Required	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	13 A
Electrical Volts	230V
Electrical Total Wattage	3000 W
Electrical Kilowatts	3 kW
Electrical Phase	1-Phase

Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Single



LINCAT CONVECTOR ELECTRIC COUNTER-TOP CONVECTION OVEN
- W 610 MM - D 750 MM - 3.0 KW

MODEL: C0133T

ADDITIONAL SPECIFICATIONS

Capacity (Volume)	53 l
Construction Materials	Stainless Steel
Control Type	Electronic
Cooking Chamber Depth	370 mm
Cooking Chamber Height	308 mm
Cooking Chamber Width	490 mm
Cooking Rack Depth	325 mm
Cooking Rack Width	460 mm
Door Construction	Single Door
Door Hinge Type	Bottom Hinge
Door Type	Stainless Steel With Viewing Glass
Fan Type	Bi-Directional

Full-Size Or Half-Size	Half-Size
Gastronorm Capacity	3 x GN2/3
Interior	Stainless Steel
Number Of Cooking Chambers	1
Number of Pans	3
Number of Wire Racks	3
Sheet Pan Capacity	3 x 460mm x 330mm
Type of Lighting	Halogen
Ventless Cooking Technology	No
Standard Depth Or Bakery Depth	Bakery Depth
Temperature Maximum	260 °C
Temperature Minimum	30 °C

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING