



## CONVECTOR

### PRODUCT OPTIONS AND ACCESSORIES

- C0200/FS Lincat Convector Floor Stand
- C0200/LFSK Lincat Convector Low Floor Stand and Stacking Kit

### PRODUCT FEATURES

- 2 x GN1/1 capacity
- Easy-to-use knob-driven control, and electronic fan control
- Mechanical temperature control from 60° to 260° C
- Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- Two fan speeds - standard for general use and slow for delicate items
- 120 minute count down timer with electronically-controlled buzzer
- Oven lamps flash when cook cycle has finished - see when your food is done even in the busiest kitchen

The perfect addition to any commercial kitchen, the Manual+ C0223M provides the simplicity of mechanical temperature control, and the cooking benefits afforded by two-speed electronic fan control.

AIA FILE NUMBER:

ITEM NUMBER:

#### WEIGHTS & DIMENSIONS

Width	810 mil
Depth	850 mil
Height	645 mil
Weight	78.9 kg

#### SHIPPING DETAILS

Ship Width	88 cm
Ship Depth	100 cm
Ship Height	81.5 cm
Ship Weight	86.79 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

#### WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	No
Drain Line Required	No

#### PRODUCT CERTIFICATIONS



#### ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	13 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	3000 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	3 kW	Dedicated Circuit Required	Yes
Electrical Phase	1-Phase	Electrical Remarks	Single

#### ADDITIONAL SPECIFICATIONS

Capacity (Volume)	96 l	Full-Size Or Half-Size	Half-Size
Construction Materials	Stainless Steel	Gastronorm Capacity	2 x GN1/1
Control Type	Mechanical	Interior	Stainless Steel
Cooking Chamber Depth	470 mm	Number Of Cooking Chambers	1
Cooking Chamber Height	308 mm	Number of Pans	2
Cooking Chamber Width	690 mm	Number of Wire Racks	2
Cooking Rack Depth	425 mm	Sheet Pan Capacity	2 x 660 mm x 460 mm
Cooking Rack Width	660 mm	Type of Lighting	Halogen
Door Construction	Single Door	Ventless Cooking Technology	No
Door Hinge Type	Bottom Hinge	Standard Depth Or Bakery Depth	Bakery Depth
Door Type	Stainless Steel With Viewing Glass	Temperature Maximum	260 °C
Fan Type	Bi-Directional	Temperature Minimum	60 °C

**BIDDING SPECIFICATIONS (SHORT FORM SPECS)**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**

